

Map 2 - 5b

City of Rockville

Soil Survey Legend

	Alstad sandy loam, 1 to 4 percent slopes		Hubbard loamy sand, 2 to 6 percent slopes
	Becker fine sandy loam		Hubbard loamy sand, 6 to 12 percent slopes
	Biscay loam		Isan loamy sand
	Biscay loam, depressional		Jewett silt loam, 2 to 8 percent slopes
	Blue Earth Variant, mucky silt loam		Kalmarville sandy loam, frequently flooded
	Brainerd fine sandy loam, 1 to 4 percent slopes		Koronis loam, 2 to 6 percent slopes
	Cathro muck		Koronis loam, 6 to 12 percent slopes
	Cordova loam		Koronis-Sunburg complex, 12 to 25 percent slopes
	Cushing and Flak sandy loams, steep		Litchfield loamy sand
	Cushing sandy loam, 15 to 25 percent slopes		Mahtomedi loamy coarse sand, 15 to 25 percent sl
	Cushing sandy loam, 2 to 8 percent slopes		Mahtomedi loamy coarse sand, 2 to 8 percent slop
	Cushing sandy loam, 8 to 15 percent slopes		Mahtomedi loamy coarse sand, 25 to 40 percent sl
	Cylinder loam		Mahtomedi loamy coarse sand, 8 to 15 percent slo
	Dakota loam, 0 to 2 percent slopes		Marcellon loam
	Dakota loam, 2 to 6 percent slopes		Markey muck
	Darfur coarse sandy loam		Martisco mucky silt loam
	Dassel sandy loam		Mayer loam, depressional
	DeMontreville loamy sand, 2 to 8 percent slopes		Muskego muck
	DeMontreville loamy sand, 8 to 15 percent slopes		Nebish sandy loam, 2 to 8 percent slopes
	Dickman sandy loam, 0 to 2 percent slopes		Nokay fine sandy loam
	Dickman sandy loam, 2 to 6 percent slopes		Nymore loamy sand, 15 to 25 percent slopes
	Dorset sandy loam, 15 to 25 percent slopes		Nymore loamy sand, 2 to 8 percent slopes
	Dorset sandy loam, 2 to 8 percent slopes		Nymore loamy sand, 8 to 15 percent slopes
	Dorset sandy loam, 8 to 15 percent slopes		Osakis loam
	Duelm loamy sand		Pits, gravel
	Eckvoll loamy sand		Pits, quarry
	Estherville sandy loam, 0 to 2 percent slopes		Pomroy fine sand, 1 to 8 percent slopes
	Estherville sandy loam, 2 to 6 percent slopes		Prebish fine sandy loam
	Estherville sandy loam, 6 to 12 percent slopes		Prebish sandy loam, depressional
	Estherville-Hawick complex, 2 to 6 percent slope		Prebish-Nokay complex
	Fairhaven loam, 0 to 2 percent slopes		Psammets, sloping
	Fairhaven loam, 2 to 6 percent slopes		Regal loam
	Flak sandy loam, 4 to 8 percent slopes		Ridgeport sandy loam, 0 to 2 percent slopes
	Flak sandy loam, 8 to 15 percent slopes		Ridgeport sandy loam, 2 to 6 percent slopes
	Glencoe loam		Rifle mucky peat
	Growton sandy loam, 1 to 4 percent slopes		Rock outcrop-Lithic Eutrocrepts complex
	Hawick loamy sand, 12 to 40 percent slopes		Seelyeville muck
	Hawick loamy sand, 6 to 12 percent slopes		Udifluents, frequently flooded
	Histosols and Haplaquolls, ponded		Udorthents, loamy
	Hubbard loamy sand, 0 to 2 percent slopes		

Legend

	District 1
	District 2
	District 3
	District 4
	District 5
	District 6
	District 7

Scale: 1 inch = 1,450 feet
R.F.: 1 : 17,400



Map Date: July 17, 2004

725 0 725 1450
Feet

